

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (Currently amended): A method of managing tension and maintaining registration of a first web and at least one second web, the method comprising the steps of:

transporting the first and second webs toward a finishing apparatus;

comparing ~~relative~~ positions of registration marks on the first web to
positions of registration marks on the second web; ~~and second webs;~~

severing lengths of the second web in response to the relative positions of the registration marks;

individually aligning each of the severed lengths of the second web with the first web; and then

simultaneously performing a finishing operation on the first and second webs with the finishing apparatus.

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

Claim 2 (Original): The method according to claim 1, wherein the finishing operation performed by the finishing apparatus comprises a cutting operation in which the first and second webs are both cut.

Claim 3 (Currently amended): The method ~~The QuickMark 1 QuickMark 1 method~~ according to claim 1, further comprising the step of folding the first web over the second web so as to secure the lengths of the second web within a fold of the first web after the individually aligning step and before the simultaneously performing step.

Claim 4 (Original): The method according to claim 1, wherein the comparing and severing steps comprise synchronizing the severing step with the registration marks on the first web, and synchronizing transporting of the second web with the severing step.

Claim 5 (Original): The method according to claim 1, wherein the method is performed on a plurality of second webs.

Claim 6 (Currently amended): A method of managing tension and maintaining registration of print images on preprinted and rewound webs in a

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

web finishing system, at least first and second webs of the preprinted and
rewound webs having registration marks along lengths thereof that demarcate
repeat lengths of the print images on the first and second webs, the method
comprising the steps of:

transporting the first and second webs toward a finishing apparatus;

comparing ~~relative~~ positions of the registration marks of the first web
to positions of the registration marks of the second web ~~and second webs~~ as
the first and second webs are transported toward the finishing apparatus;

severing lengths of the print images of the second web in response to
the relative positions of the registration marks;

individually aligning each of the severed lengths of the second web
with the first web so that the print images of the first and second webs coincide;
and then

simultaneously performing a finishing operation on the first and
second webs with the finishing apparatus.

Claim 7 (Original): The method according to claim 6, wherein the
finishing operation performed by the finishing apparatus comprises a cutting
operation in which the first and second webs are both cut.

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

Claim 8 (Original): The method according to claim 6, further comprising the step of folding the first web over the second web so as to secure the lengths of the second web within a fold of the first web after the individually aligning step and before the simultaneously performing step.

Claim 9 (Original): The method according to claim 6, wherein the comparing and severing steps comprise synchronizing the severing step with the registration marks on the first web, and synchronizing transporting of the second web with the severing step.

Claim 10 (Original): The method according to claim 6, wherein the method is performed on a plurality of second webs.

Claim 11 (Currently amended): A system for managing tension and maintaining registration of a first web and at least one second web, the system comprising:

means for simultaneously performing a finishing operation on the first and second webs;

means for transporting the first and second webs toward the finishing apparatus;

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

means for comparing ~~relative~~ positions of registration marks on the first web to positions of registration marks on the second web; ~~and second webs;~~

means for severing lengths of the second web in response to the relative positions of the registration marks; and

means for individually aligning each of the severed lengths of the second web with the first web before the first and second webs encounter the performing means.

Claim 12 (Original): The system according to claim 11, wherein the performing means is a cutting apparatus adapted to simultaneous cut the first and second webs.

Claim 13 (Original): The system according to claim 11, further comprising means for folding the first web over the second web so as to secure the lengths of the second web within a fold of the first web before encountering the performing means.

Claim 14 (Original): The system according to claim 11, wherein the comparing and severing means comprise means for synchronizing the severing

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

means with the registration marks on the first web, and means for synchronizing the transporting means with the severing means.

Claim 15 (Original): The system according to claim 11, wherein the system is an offline web finishing system.

Claim 16 (Currently amended): A system of managing tension and maintaining registration of print images on preprinted and rewound webs in a web finishing system, the system comprising:

at least first and second webs having registration marks along lengths thereof that demarcate repeat lengths of the print images on the first and second webs;

a finishing apparatus for simultaneously performing a finishing operation on the first and second webs;

means for transporting the first and second webs toward the finishing apparatus;

means for comparing ~~relative~~ positions of the registration marks of the first web to positions of the registration marks of the second web ~~and second webs~~ as the first and second webs are transported toward the finishing apparatus;

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

means for severing lengths of the print images of the second web in response to the relative positions of the registration marks; and

means for individually aligning each of the severed lengths of the second web with the first web so that the print images of the first and second webs coincide before the first and second webs encounter the finishing apparatus.

Claim 17 (Original): The system according to claim 16, wherein the finishing apparatus is a cutting apparatus adapted to simultaneously cut the first and second webs.

Claim 18 (Original): The system according to claim 16, further comprising means for folding the first web over the second web so as to secure the lengths of the second web within a fold of the first web before encountering the finishing apparatus.

Claim 19 (Original): The system according to claim 16, wherein the comparing and severing means comprise means for synchronizing the severing means with the registration marks on the first web, and means for synchronizing the transporting means with the severing means.

Application No. 10/710,867
Docket No. A4-1812
Amendment dated November 23, 2005
Reply to Office Action of September 26, 2005

Claim 20 (Original): The system according to claim 16, wherein the
system is an offline web finishing system.